# INDEX TO AUTHORS.


A

**Addis, Thomas.** See WATANABE, OLIVER, and ADDIS, 359

**Amoss, Harold L.,** and **Eberson, Frederick.** An experimental test of Nuzum's antipoliomyelitic serum, 323

— and **Haselbauer, Peter.** The rat and poliomyelitis: an experimental study, 429

— and **Marsh, Penelope.** Standardization of antimeningococcic serum, 779

—. See FLEXNER and AMOSS, 11

**Austin, J. Harold.** See CECIL and AUSTIN, 19

**Avery, O. T.** See DERNBY and AVERY, 345

B

**Brown, James Howard.** A new type of syringe, especially adapted for intravenous injections or the aspiration of blood, 623

— and **Orcutt, Marion L.** A rapid differential method for the isolation of *Bacillus influenzæ*, 659

**Brown, Wade H.** See PEARCE and BROWN, 109

C

**Cecil, Russell L.,** and **Austin, J. Harold.** Results of prophylactic inoculation against pneumococcus in 12,519 men, 19

**Chesney, Alan M.** See CULLEN and CHESNEY, 289

**Cooke, J. V.,** and **Whipple, G. H.** Proteose intoxications and injury of body protein. IV. The metabolism of dogs with sterile abscess, pancreatitis, and pleuritis, 223

—and—. V. The increase in non-protein nitrogen of the blood in acute inflammatory processes and acute intoxications, 243

**Cullen, Glenn E.,** and **Chesney, Alan M.** A note on the production of acid by pneumococci, 289

— and **Taylor, Herbert D.** Relative irritant properties of the chlorine group of antiseptics, 681

D

**Dernby, K. G.,** and **Avery, O. T.** The optimum hydrogen ion concentration for the growth of pneumococcus, 345

**Dubin, Harry.** Studies of urobilin elimination in the normal and anemic dog, 313

E

**Eberson, Frederick.** See AMOSS and EBERSON, 323

F

**Fischer, Albert.** Acid production graphically registered as an indicator of the vital processes in the cultivation of bacteria, 529

**Flexner, Simon,** and **Amoss, Harold L.** The passage of neutralizing substance from the blood into the cerebrospinal fluid in actively immunized monkeys, 11

G

**Gates, Frederick L.** A report on antimeningitis vaccination and observations on agglutinins in the blood of chronic meningococcus carriers, 449

—. Restorative effect of salts of magnesium and calcium after lethal doses of sodium oxalate, 305

**Graybill, H. W.** See SMITH and GRAYBILL, 89

H

**Haselbauer, Peter.** See AMOSS and HASELBAUER, 429

I

**Ido, Yutaka, Ito, Hiroshi,** and **Wani, Hidetsune.** *Spirochæta hebdomadis*, the causative agent of seven day fever (*nanukayami*), 435

**Ito, Hiroshi.** See IDO, ITO, and WANI, 435

J

**Johnson, Reuben A.** Renal function in experimental hydronephrosis, 193

**Jones, F. S.** Studies in bovine mastitis. I. Non-hemolytic streptococci in inflammation of the udder, 149

—. II. The relation of hemolytic streptococci to udder infections, 253

—. III. Infection of the udder with micrococci and other microorganisms, 721

—. IV. The sources of infection in streptococcic mastitis, 735

K

**Kaliski, David J.** See NOGUCHI and KALISKI, 559

**Kinsella, Ralph A.** The relation between hemolytic and non-hemolytic streptococci, and its possible significance, 181

— and **Swift, Homer F.** The classification of hemolytic streptococci, 169

**Kirkbride, Mary Butler.** See WADSWORTH and KIRKBRIDE, 791

**Kligler, I. J.** Modifications of culture media used in the isolation and differentiation of typhoid, dysentery, and allied bacilli, 319

L

**Lathrop, A. E. C.,** and **Loeb, Leo.** Further investigations on the origin of tumors in mice. V. The tumor rate in hybrid strains, 475

**Loeb, Leo.** See LATHROP and LOEB, 475

M

**MacNider, William deB.** The stability of the acid-base equilibrium of the blood in naturally nephropathic animals and the effect on renal function of changes in this equilibrium. I. A study of the acid-base equilibrium of the blood in naturally nephropathic animals and of the functional capacity of the kidney in such animals following an anesthetic, 501

—. II. A study of the efficiency of an alkali to protect the naturally nephropathic kidney against the toxic effect of an anesthetic, 517

**Marsh, Penelope.** See AMOSS and MARSH, 779

**Meltzer, S. J.** See WOLLSTEIN and MELTZER, 547, 551

**Murphy, James B.,** and **Taylor, Herbert D.** The lymphocyte in natural and induced resistance to transplanted cancer. III. The effect of x-rays on artificially induced immunity, 1

N

**Noguchi, Hideyo.** A comparative study of experimental prophylactic inoculation against *Leptospira icterohæmorrhagiæ,* 561

—. A homohemolytic system for the serum diagnosis of syphilis, 43

—. Influence of temperature upon the velocity of the complement fixation reaction in syphilis, 297

— and **Kaliski, David J.** The spirochetal flora of the normal female genitalia, 559

O

**Olitsky, Peter K.** An experimental study of vaccination against *Bacilli dysenteriæ,* 69

**Oliver, Jean.** See Rous and Oliver, 629

—. See Watanabe, Oliver, and Addis, 359

**Orcutt, Marion L.** See Brown and Orcutt, 659

P

**Parker, Frederick D.** New thoracic murmurs, with two new instruments, the refractoscope and the partial stethoscope, 607

**Parker, Julia T.** A specific poison in the liver extracts of rabbits inoculated with typhoid and *prodigiosus* bacilli intravenously, 571

**Pearce, Louise,** and **Brown, Wade H.** Experimental trypanosomiasis: its application in chemotherapeutic investigations, 109

R

**Rous, Peyton.** Urinary siderosis. Hemosiderin granules in the urine as an aid in the diagnosis of pernicious anemia, hemochromatosis, and other diseases causing siderosis of the kidney, 645

— and **Oliver, Jean.** Experimental hemochromatosis, 629

S

**Shimura, Sohei.** A new non-pathogenic tetragenous ameba. I, 415

**Simonds, J. P.** The effect of feeding sugar upon the esterase content of the blood serum and organs in phosphorus poisoning, 663

—. The peptolytic power of liver, spleen, and kidneys in poisoning by phosphorus and chloroform, 673

**Smillie, Ernest W.** An improvement in the method of isolating and recovering the bacillus of cattle abortion through guinea pigs, 585

**Smith, Theobald.** A pleomorphic bacillus from pneumonic lungs of calves simulating actinomyces, 333

—. Spirilla associated with disease of the fetal membranes in cattle (infectious abortion), 701

— and **Graybill, H. W.** Coccidiosis in young calves, 89

**Swift, Homer F.** See Kinsella and Swift, 169

T

**Taylor, Herbert D.** See CULLEN and TAYLOR, 681
—. See MURPHY and TAYLOR, 1

**TenBroeck, Carl.** A study of paratyphoid bacilli isolated from cases of hog-cholera, 759
—. The survival of the hog-cholera virus in laboratory animals, particularly the rat, 749

**Tsen, Edgar T. H.** The etiology of epidemic poliomyelitis, 269

V

**Van Slyke, Donald D.** See WHIPPLE and VAN SLYKE, 213

W

**Wadsworth, Augustus B.,** and **Kirkbride, Mary Butler.** A study of the changes in virulence of the pneumococcus at different periods of growth and under different conditions of cultivation in media, 791

**Wani, Hidetsune.** See IDO, ITO, and WANI, 435

**Watanabe, C. K., Oliver, Jean,** and **Addis, Thomas.** Determination of the quantity of secreting tissue in the living kidney, 359

**Whipple, G. H.,** and **Van Slyke, Donald D.** Proteose intoxications and injury of body protein. III. Toxic protein catabolism and its influence upon the non-protein nitrogen partition of the blood, 213
—. See COOKE and WHIPPLE, 223, 243

**Wollstein, Martha.** A further study of experimental parotitis, 377
— and **Meltzer, S. J.** Effect of intrabronchial insufflation of solutions of some inorganic salts, 551
— and —. Experimental chemical pneumonia, 547

Y

**Yoshida, Kazuyoshi.** The encystment of dysentery amebæ *in vitro*, 387

# INDEX TO SUBJECTS.


A

**Abortion:**
Cattle, bacillus, isolation and recovery through guinea pigs (SMILLIE) 585
Infectious, spirilla associated with (SMITH) 701
**Abscess:**
Sterile, metabolism (COOKE and WHIPPLE) 223
**Acid:**
-base, equilibrium of blood in naturally nephropathic animals (MACNIDER) 501, 517
—, — — — — — — —, effect on renal function of changes in (MACNIDER) 501, 517
Production, by pneumococci (CULLEN and CHESNEY) 289
—, graphically registered (FISCHER) 529
**Actinomyces:**
Pleomorphic bacillus from pneumonic lungs simulating (SMITH) 333
**Agglutinin:**
Meningococcus carriers, chronic (GATES) 449
**Alkali:**
Kidney, naturally nephropathic, protected against anesthetic by (MACNIDER) 517
**Ameba:**
Dysentery, encystment *in vitro* (YOSHIDA) 387
Tetragenous, non-pathogenic (SHIMURA) 415
**Anemia:**
Pernicious, diagnosed by hemosiderin granules in urine (ROUS) 645
Urobilin elimination (DUBIN) 313
**Anesthetic:**
Kidney, naturally nephropathic, functional capacity (MACNIDER) 501
—, — —, protected by alkali against (MACNIDER) 517
**Antipoliomyelitic serum:**
*See* Serum, poliomyelitis.
**Antiseptic:**
Chlorine, irritant properties (CULLEN and TAYLOR) 681
**Aspiration:**
Blood, syringe (BROWN) 623

B

**Bacillus:**
Cattle abortion, isolation and recovery through guinea pigs (SMILLIE) 585
*dysenteriæ.* See Dysentery.
*influenzæ*, rapid differential method for isolation (BROWN and ORCUTT) 659
Paratyphoid. *See* Paratyphoid.
Pleomorphic, from pneumonic lungs (SMITH) 333
*prodigiosus*, specific poison in liver extract after intravenous inoculation (PARKER) 571
*typhosus. See* Typhoid.

**Bacteria:**
Cultivation, vital processes (FISCHER) 529

**Base:**
Acid-, equilibrium of blood in naturally nephropathic animals (MACNIDER) 501, 517
—, — — — — — — —, effect on renal function of changes in (MACNIDER) 501, 517

**Blood:**
Acid-base equilibrium, in naturally nephropathic animals (MACNIDER) 501, 517
Agglutinins, of chronic meningococcus carriers (GATES) 449
Aspiration, syringe (BROWN) 623
Neutralizing substance from, in poliomyelitis (FLEXNER and AMOSS) 11
Non-protein nitrogen, increase, in acute inflammatory processes (COOKE and WHIPPLE) 243
— —, —, — — intoxications (COOKE and WHIPPLE) 243
— —, partition, influence of toxic protein catabolism on (WHIPPLE and VAN SYLKE) 213
Serum, esterase content in phosphorus poisoning (SIMONDS) 663

**Body:**
Protein, injury (COOKE and WHIPPLE) 223, 243
—, — (WHIPPLE and VAN SYLKE) 213

C

**Calcium:**
Salts, restorative effect after lethal doses of sodium oxalate (GATES) 305

**Cancer:**
Transplanted, lymphocyte in resistance (MURPHY and TAYLOR) 1

**Carrier:**
Meningococcus, chronic, agglutinins (GATES) 449

**Catabolism:**
Toxic protein (WHIPPLE and VAN SLYKE) 213
— —, and non-protein nitrogen partition of blood (WHIPPLE and VAN SLYKE) 213

**Cattle:**
Abortion, bacillus, isolation and recovery through guinea pigs (SMILLIE) 585
—, infectious, spirilla associated with (SMITH) 701
Coccidiosis, in calves (SMITH and GRAYBILL) 89
Mastitis, bovine (JONES) 149, 253, 721, 735

**Cerebrospinal fluid:**
*See* Fluid.

**Chemical:**
Pneumonia (WOLLSTEIN and MELTZER) 547

**Chemotheraphy:**
Trypanosomiasis, experimental, application in (PEARCE and BROWN) 109

**Chlorine:**
Antiseptics, irritant properties (CULLEN and TAYLOR) 681

**Chloroform:**
Poisoning, peptolytic power of organs (SIMONDS) 673

**Cholera:**
Hog-, paratyphoid bacilli isolated from (TENBROECK) 759
—, virus, survival in animals (TENBROECK) 749
**Classification:**
Streptococci, hemolytic (KINSELLA and SWIFT) 169
**Coccidiosis:**
Calf (SMITH and GRAYBILL) 89
**Complement:**
Fixation reaction in syphilis, influence of temperature on velocity (NOGUCHI) 297
**Cultivation:**
Bacteria, vital processes (FISCHER) 529
Pneumococcus, changes in virulence during (WADSWORTH and KIRKBRIDE) 791
**Culture:**
Media, modifications, for isolation and differentiation of typhoid, dysentery, and allied bacilli (KLIGLER) 319

D

**Diagnosis:**
Anemia, pernicious, by hemosiderin granules in urine (ROUS) 645
Diseases causing siderosis of kidney, by hemosiderin granules in urine (ROUS) 645
Hemochromatosis, by hemosiderin granules in urine (ROUS) 645
Serum, of syphilis, by homohemolytic system (NOGUCHI) 43
**Disease:**
Fetal membranes in cattle, spirilla associated with (SMITH) 701
Kidney siderosis, diseases causing, diagnosed by hemosiderin granules in urine (ROUS) 645
**Dysenteriæ:**
*Bacillus.* See Dysentery.
**Dysentery:**
Amebæ, encystment *in vitro* (YOSHIDA) 387
Bacilli, vaccination (OLITSKY) 69
Bacillus, isolation and differentiation from allied bacilli (KLIGLER) 319

E

**Elimination:**
Urobilin, in normal and anemic dog (DUBIN) 313
**Encystment:**
Dysentery amebæ, *in vitro* (YOSHIDA) 387
**Epidemic:**
Poliomyelitis, etiology (TSEN) 269
**Equilibrium:**
Acid-base, of blood, in naturally nephropathic animals (MACNIDER) 501, 517
—, — —, — — — —, effect on renal function of changes in (MACNIDER) 501, 517
**Esterase:**
Blood serum, in phosphorus poisoning (SIMONDS) 663
Organs, in phosphorus poisoning (SIMONDS) 663
**Etiology:**
Poliomyelitis, epidemic (TSEN) 269
Seven day fever (IDO, ITO, and WANI) 435
**Extract:**
Liver, specific poison in after inoculation with *prodigiosus* bacilli intravenously (PARKER) 571
—, — — —, — — — typhoid bacilli intravenously (PARKER) 571

F

**Feeding:**
Sugar, in phosphorus poisoning (SIMONDS) 663
**Female:**
Genitalia, normal, spirochetal flora of (NOGUCHI and KALISKI) 559
**Fetus:**
Membranes, of cattle, disease, spirilla associated with (SMITH) 701
**Fever:**
Seven day. *See* Seven day fever.
**Fixation:**
Complement, reaction, in syphilis, influence of temperature on velocity (NOGUCHI) 297
**Flora:**
Spirochetal, of normal female genitalia (NOGUCHI and KALISKI) 559
**Fluid:**
Cerebrospinal, passage of neutralizing substance into, in poliomyelitis (FLEXNER and AMOSS) 11
**Function:**
Kidney, effect of changes in acid-base equilibrium of blood in naturally nephropathic animals (MACNIDER) 501, 517
—, functional capacity in naturally nephropathic animals after anesthetic (MACNIDER) 501
—, in hydronephrosis (JOHNSON) 193

G

**Genitalia:**
Spirochetal flora of normal female (NOGUCHI and KALISKI) 559
**Granule:**
Hemosiderin, in urine, in diagnosis of diseases causing siderosis of kidney (ROUS) 645
**Growth:**
Pneumococcus, changes in virulence during (WADSWORTH and KIRKBRIDE) 791
—, optimum hydrogen ion concentration (DERNBY and AVERY) 345

H

**Hebdomadis:**
*Spirochæta* (IDO, ITO, and WANI) 435
**Hemochromatosis:**
(ROUS and OLIVER) 629
Diagnosis by hemosiderin granules in urine (ROUS) 645
**Hemolytic:**
Non-, streptococci, in inflammation of udder (JONES) 149
—, —, relation to hemolytic streptococci (KINSELLA) 181
Streptococci, classification (KINSELLA and SWIFT) 169
—, relation to non-hemolytic streptococci (KINSELLA) 181
—, — — udder infections (JONES) 253
Syphilis diagnosed by homohemolytic system (NOGUCHI) 43
**Hemosiderin:**
Granules, in urine, in diagnosis of diseases causing siderosis of kidney (ROUS) 645
**Hog-cholera:**
*See* Cholera.
**Hybrid:**
Strains, tumor rate (LATHROP and LOEB) 475

**Hydrogen ion:**
Concentration, optimum, for pneumococcus growth (DERNBY and AVERY) 345
**Hydronephrosis:**
Kidney function (JOHNSON) 193

I

**Icterohæmorrhagiæ:**
*Leptospira*, prophylactic inoculation (NOGUCHI) 561
**Immunity:**
Active, passage of neutralizing substance in poliomyelitis (FLEXNER and AMOSS) 11
Roentgen rays, effect of, on (MURPHY and TAYLOR) 1
**In vitro:**
Dysentery amebæ, encystment (YOSHIDA) 387
**Infection:**
Abortion, infectious, spirilla associated with (SMITH) 701
Udder, hemolytic streptococci (JONES) 253
—, non-hemolytic streptococci (JONES) 149
—, sources in streptococcic mastitis (JONES) 735
—, with micrococci and other microorganisms (JONES) 721
**Inflammation:**
Non-protein nitrogen of blood, increase (COOKE and WHIPPLE) 243
Udder, hemolytic streptococci (JONES) 253
—, micrococci and other microorganisms (JONES) 721
—, non-hemolytic streptococci (JONES) 149
—, sources of infection in streptococcic mastitis (JONES) 735
**Influenzæ:**
*Bacillus*, rapid differential method for isolation (BROWN and ORCUTT) 659
**Injection:**
Intravenous, syringe (BROWN) 623
**Inoculation:**
*Bacillus prodigiosus*, intravenously, specific poison in liver extracts after (PARKER) 571
Prophylactic. *See* Vaccination.
Typhoid bacilli, intravenously, specific poison in liver extracts after (PARKER) 571
**Inorganic:**
Salts, solutions, intrabronchial insufflation (WOLLSTEIN and MELTZER) 551
**Instrument:**
Refractoscope (PARKER) 607
Stethoscope, partial (PARKER) 607
**Insufflation:**
Intrabronchial, of solutions of inorganic salts (WOLLSTEIN and MELTZER) 551
**Intoxication:**
Chloroform, peptolytic power of organs (SIMONDS) 673
Non-protein nitrogen of blood, increase in acute (COOKE and WHIPPLE) 243
Phosphorus, esterase content of blood serum (SIMONDS) 663
—, — — — organs (SIMONDS) 663
—, peptolytic power of organs (SIMONDS) 673
Proteose (COOKE and WHIPPLE) 223, 243
— (WHIPPLE and VAN SLYKE) 213

**Intrabronchial insufflation.**
*See* Insufflation.
**Irritation:**
Chlorine antiseptics, irritant properties (CULLEN and TAYLOR) 681

K

**Kidney:**
Hydronephrosis, function in (JOHNSON) 193
Nephropathic, naturally, effect of changes in acid-base equilibrium on function (MACNIDER) 501, 517
—, —, functional capacity after anesthetic (MACNIDER) 501
—, —, protected by alkali against anesthetic (MACNIDER) 517
Peptolytic power in chloroform poisoning (SIMONDS) 673
— — — phosphorus poisoning (SIMONDS) 673
Secreting tissue, determination of quantity in living (WATANABE, OLIVER, and ADDIS) 359
Siderosis, diseases causing, diagnosed by hemosiderin granules in urine (ROUS) 645

L

**Leptospira:**
*icterohæmorrhagiæ*, prophylactic inoculation (NOGUCHI) 561
**Liver:**
Extracts, specific poison in, after inoculation with *prodigiosus* bacilli intravenously (PARKER) 571
—, — — —, — — — typhoid bacilli intravenously (PARKER) 571
Peptolytic power in chloroform poisoning (SIMONDS) 673
— — — phosphorus poisoning (SIMONDS) 673
**Lues:**
*See* Syphilis.
**Lungs:**
Pneumonic, pleomorphic bacillus from (SMITH) 333
**Lymphocyte:**
Cancer, transplanted, lymphocyte in resistance to (MURPHY and TAYLOR) 1

M

**Magnesium:**
Salts, restorative effect after lethal doses of sodium oxalate (GATES) 305
**Mastitis:**
Bovine (JONES) 149, 253, 721, 735
Streptococcic, sources of infection (JONES) 735
**Medium:**
Cultivation of pneumococcus in, changes in virulence (WADSWORTH and KIRKBRIDE) 791
Culture, modification in, for isolation and identification of typhoid, dysentery, and allied bacilli (KLIGLER) 319
**Membrane:**
Fetal, of cattle, spirilla associated with disease of (SMITH) 701
**Meningitis:**
Serum, antimeningitis, standardization (AMOSS and MARSH) 779
Vaccination, antimeningitis (GATES) 449
**Meningococcus:**
Carriers, chronic, agglutinins (GATES) 449
**Metabolism:**
Abscess, sterile (COOKE and WHIPPLE) 223
Pancreatitis (COOKE and WHIPPLE) 223

**Metabolism**—*continued:*
Pleuritis (COOKE and WHIPPLE) 223
**Method:**
*Bacillus influenzæ*, isolation, rapid differential method (BROWN and ORCUTT) 659
Cattle abortion, bacillus, isolation and recovery through guinea pigs (SMILLIE) 585
**Micrococcus:**
Udder infection (JONES) 721
**Microorganism:**
Udder infection (JONES) 721
**Mumps:**
*See* Parotitis.
**Murmurs:**
Thoracic, with partial stethoscope (PARKER) 607
—, — refractoscope (PARKER) 607

N

**Nanukayami:**
*See* Seven day fever.
**Nephropathy:**
Acid-base equilibrium of blood (MACNIDER) 501, 517
Kidney, functional capacity, after anesthetic (MACNIDER) 501
—, protected by alkali against anesthetic (MACNIDER) 517
**Neutralizing substance:**
*See* Substance.
**Nitrogen:**
Non-protein, of blood, increase, in acute inflammatory processes (COOKE and WHIPPLE) 243
—, — —, —, — — intoxications (COOKE and WHIPPLE), 243
—, partition of blood, influence of toxic protein catabolism on (WHIPPLE and VAN SLYKE) 213

O

**Organ:**
Esterase content in phosphorus poisoning (SIMONDS) 663
**Oxalate:**
Sodium. *See* Sodium.

P

**Pancreatitis:**
Metabolism (COOKE and WHIPPLE) 223
**Paratyphoid:**
Bacilli, isolated from hog-cholera cases (TENBROECK) 759
**Parotitis:**
(WOLLSTEIN) 377
**Partition:**
Non-protein nitrogen, of blood, influence of toxic protein catabolism on (WHIPPLE and VAN SLYKE) 213
**Pathogenicity:**
Ameba, non-pathogenic tetragenous (SHIMURA) 415
**Peptolytic:**
Power of organs in chloroform poisoning (SIMONDS) 673
— — — — phosphorus poisoning (SIMONDS) 673
**Phosphorus:**
Poisoning, esterase content of blood serum (SIMONDS) 663
—, — — — organs (SIMONDS) 663
—, peptolytic power of organs (SIMONDS) 673
**Pleomorphism:**
Bacillus, pleomorphic, from pneumonic lungs (SMITH) 333
**Pleuritis:**
Metabolism (COOKE and WHIPPLE) 223

**Pneumococcus:**
Acid production (CULLEN and CHESNEY) 289
Growth, optimum hydrogen ion concentration (DERNBY and AVERY) 345
Prophylactic inoculation (CECIL and AUSTIN) 19
Virulence, changes (WADSWORTH and KIRKBRIDE) 791

**Pneumonia:**
Chemical (WOLLSTEIN and MELTZER) 547
Lungs, pleomorphic bacillus from (SMITH) 333

**Poison:**
Specific, in liver extracts after inoculation with *prodigiosus* bacilli intravenously (PARKER) 571
—, — — — — — — typhoid bacilli intravenously (PARKER) 571

**Poisoning:**
*See* Intoxication.

**Poliomyelitis:**
Etiology of epidemic (TSEN) 269
Neutralizing substance, passage of, in (FLEXNER and AMOSS) 11
Rat, relation to (AMOSS and HASELBAUER) 429
Serum, Nuzum's antipoliomyelitic (AMOSS and EBERSON) 323

**Prodigiosus:**
*Bacillus*, specific poison in liver extracts after intravenous inoculation (PARKER) 571

**Prophylaxis:**
Inoculation. *See* Vaccination.

**Protection:**
Alkali, in naturally nephropathic animals, against anesthetic (MACNIDER) 517

**Protein:**
Body, injury (COOKE and WHIPPLE) 223, 243
—, — (WHIPPLE and VAN SLYKE) 213
Catabolism, toxic (WHIPPLE and VAN SLYKE) 213
—, —, and non-protein nitrogen partition of blood (WHIPPLE and VAN SLYKE) 213
Non-, nitrogen of blood, increase, in acute inflammatory processes (COOKE and WHIPPLE) 243
—, — — —, —, — — intoxications (COOKE and WHIPPLE) 243
—, — partition of blood, influence of toxic protein catabolism on (WHIPPLE and VAN SLYKE) 213

**Proteose:**
Intoxications (COOKE and WHIPPLE) 223, 243
— (WHIPPLE and VAN SLYKE) 213

## R

**Rat:**
Poliomyelitis, relation of rat (AMOSS and HASELBAUER) 429

**Reaction:**
Complement fixation, in syphilis, influence of temperature on velocity (NOGUCHI) 297

**Refractoscope:**
Thoracic murmurs, with (PARKER) 607

**Renal:**
*See* Kidney.

**Resistance:**
Lymphocyte in resistance to transplanted cancer (MURPHY and TAYLOR) 1

**Roentgen ray:**
Immunity artificially induced, effect on, of (MURPHY and TAYLOR) 1

S

**Salt(s):**
Calcium, restorative effect after lethal doses of sodium oxalate (GATES) 305
Inorganic, solutions, intrabronchial insufflation (WOLLSTEIN and MELTZER) 551
Magnesium, restorative effect after lethal doses of sodium oxalate (GATES) 305
**Secretion:**
Tissue, in living kidney, determination of quantity (WATANABE, OLIVER, and ADDIS) 359
**Serum:**
Blood, esterase content in phosphorus poisoning (SIMONDS) 663
Diagnosis of syphilis by homohemolytic system (NOGUCHI) 43
Meningitis, standardization (AMOSS and MARSH) 779
Poliomyelitis, Nuzum's (AMOSS and EBERSON) 323
**Seven day fever:**
*Spirochæta hebdomadis*, causative agent of (IDO, ITO, and WANI) 435
**Siderosis:**
Kidney (ROUS) 645
—, diseases causing, diagnosed by hemosiderin granules in urine (ROUS) 645
**Sodium:**
Oxalate, lethal doses of, restorative effect of calcium salts (GATES) 305
—, — — —, — — — magnesium salts (GATES) 305
**Solution:**
Salts, inorganic, intrabronchial insufflation (WOLLSTEIN and MELTZER) 551
**Specificity:**
Poison, in liver extracts after inoculation with *prodigiosus* bacilli intravenously (PARKER) 571
—, — — — — — — — typhoid bacilli intravenously (PARKER) 571
**Spirillum:**
Infectious abortion (SMITH) 701
**Spirochæta:**
Genitalia, normal female, spirochetal flora of (NOGUCHI and KALISKI) 559
*hebdomadis* (IDO, ITO, and WANI) 435
**Spleen:**
Peptolytic power in chloroform poisoning (SIMONDS) 673
— — — phosphorus poisoning (SIMONDS) 673
**Standardization:**
Antimeningococcic serum (AMOSS and MARSH) 779
**Sterility:**
Abscess, sterile, metabolism (COOKE and WHIPPLE) 223
**Stethoscope:**
Partial, thoracic murmurs with (PARKER) 607
**Strain:**
Hybrid, tumor rate (LATHROP and LOEB) 475
**Streptococcus:**
Hemolytic, classification (KINSELLA and SWIFT) 169
—, relation to non-hemolytic streptococci (KINSELLA) 181
—, — — udder infections (JONES) 253

**Streptococcus**—*continued:*
Mastitis, sources of infection (JONES) 735
Non-hemolytic, in inflammation of udder (JONES) 149
—, relation to hemolytic streptococci (KINSELLA) 181
**Substance:**
Neutralizing, passage of, in poliomyelitis (FLEXNER and AMOSS) 11
**Sugar:**
Feeding, in phosphorus poisoning (SIMONDS) 663
**Survival:**
Hog-cholera virus in animals (TENBROECK) 749
**Syphilis:**
Complement fixation reaction, influence of temperature on velocity (NOGUCHI) 297
Diagnosis, serum, by homohemolytic system (NOGUCHI) 43
**Syringe:**
Blood aspiration (BROWN) 623
Injections, intravenous (BROWN) 623

T

**Temperature:**
Syphilis complement fixation reaction, influence of temperature on velocity (NOGUCHI) 297
**Tetragenous:**
Ameba, non-pathogenic (SHIMURA) 415
**Thorax:**
Murmurs, with partial stethoscope (PARKER) 607
—, — refractoscope (PARKER) 607
**Tissue:**
Secreting, in living kidney, determination of quantity (WATANABE, OLIVER, and ADDIS) 359
**Toxicity:**
Anesthetic, protection of naturally nephropathic kidney by alkali against (MACNIDER) 517
Catabolism, toxic protein (WHIPPLE and VAN SLYKE) 213
—, — —, and non-protein nitrogen partition of blood (WHIPPLE and VAN SLYKE) 213
**Transplantation:**
Cancer, lymphocyte in resistance to (MURPHY and TAYLOR) 1
**Trypanosomiasis:**
(PEARCE and BROWN) 109
**Tumor:**
Hybrid strains, tumor rate (LATHROP and LOEB) 475
Mouse, origin (LATHROP and LOEB) 475
**Typhoid:**
Bacillus, isolation and differentiation from allied bacilli (KLIGLER) 319
—, specific poison in liver extracts after intravenous inoculation (PARKER) 571
**Typhosus:**
*Bacillus. See* Typhoid.

U

**Udder:**
Infection, hemolytic streptococci (JONES) 253
—, micrococci and other microorganisms (JONES) 721
—, non-hemolytic streptococci (JONES) 149
—, sources in streptococcic mastitis (JONES) 735

**Urine:**
Hemosiderin granules in, in diagnosis of diseases causing siderosis of kidney (ROUS) 645
Siderosis (ROUS) 645
**Urobilin:**
Elimination in normal and anemic dog (DUBIN) 313

V

**Vaccination:**
*Bacilli dysenteriæ* (OLITSKY) 69
*Leptospira icterohæmorrhagiæ* (NOGUCHI) 561
Meningococcus (GATES) 449
**Vaccination**—*continued:*
Pneumococcus (CECIL and AUSTIN) 19
**Virulence:**
Pneumococcus, changes (WADSWORTH and KIRKBRIDE) 791
**Virus:**
Hog-cholera, survival in animals (TENBROECK) 749

X

**X-ray:**
*See* Roentgen ray.